Tuesday, 3/11/2008 7:57:48 AM

User

Kim Johnston

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Type

S.O. No. :

Job Number

: 37756

Estimate Number

: 10054

P.O. Number This Issue

: 3/11/2008

Prsht Rev.

First Issue Previous Run : NC

: 11

: 30682

Written By

Checked & Approved By

Comment

: Est.

02.09.10

Added DSK 066

PURCHASED PARTS

KJ/RF

Drawing Name

: 3" SKID EXTRUSION (NO OUTER RIDGE)

: D26003120

Part Number Drawing Number

· D2600 REV D1

Project Number

Drawing Revision

Material

Due Date

: 4/4/2008

: N/A

: D1

Qty:

110 Um:

Each

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0

PURCHASING

c208/03/12

Comment: PURCHASING

Issue P/O:

a) Extrude as per Dwg D2600

b) Material: 6061-T6 (QQ-A-200/8)

c) Minimum yield tensile strength = 35 ksi

d) Minimum ultimate tensile strength = 40 ksi

e) Minimum elongation = 8%

f) Order at 120" long

g) Bon L Canada Inc. tool #897122

h) To be packed per DSK 066

i) Pull test to ASTM standard B221 required.

j) Material certification is required

2.0

Extrusion Round 3" 350



Comment: Qty.:

1.0000 Each(s)/Unit Total: 110.0000 Each(s)

Extrusion Round 3" 350

3.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1 Receive & Inspect For Transit Damage

Ensure material certification is attached

4.0 QC6

Comment: DIMENSIONAL CHECK

Inspect dimension per Dwg D2600

Check Pull test per Dwg D2600 for compliance page attached

Check hardness with Webster tester



















Dart Ae	rospace L	_td							
W/O:			WC	ORK ORDER CHANGES				 	
DATE	STEP	PR	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
			-8-			i			
-							1.01		
Part No	:	PAR #:	Fault Cate	gory: No					
					QA: N	/C Close	d:	_ Date: _	
NCR:			WORK ORDI	ER NON-CONFORMANC	E (NCR	.)			
DATE	STEP	Description of NC		Corrective Action Section B		Verifi	cation	Approval	Approval
DATE	SIEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date		ion C	Chief Eng	QC Inspector
							1		
				· · · · · · · · · · · · · · · · · · ·					

NOTE: Date & initial all entries

Date: Tuesday, 3/11/2008 7:57:48 AM User: Kim Johnston **Process Sheet** Drawing Name: 3" SKID EXTRUSION (NO OUTER RIDGE) Customer: CU-DAR001 Dart Helicopters Services Job Number: 37756 Part Number: D26003120 Job Number: Seq. #: Description: Machine Or Operation: PACKAGING RESOURCE #1 5.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: BACKHALL QC21 6.0 08/04/03 Comment: FINAL INSPECTION/W/O RELEASE mf 08-03-31 Job Completion


Dart Ae	rospace	⊋ Ltd							
W/O:			WC	ORK ORDER CHANGES					
DATE	STEP	PRO	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
						•			
									1 1 1 1
Part No	:	PAR #:	Fault Cate	gory: NO	R: Yes	No DQ	A:	_ Date: _	
					QA: N	N/C Close	d:	Date:	
NCR:		V	ORK ORDI	R NON-CONFORMANC	E (NC	₹)			
		Description of NC		Corrective Action Section B		Verifi	cation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign 8	Sect	ion C	Chief Eng	QC Inspector
							•		
								200	

NOTE: Date & initial all entries





	DESIG	DRAWN BY		DART AEROSPACE LTD hawkesbury, ontario, canada
1	CHECK	ED	APPROVED	DRAWING NO. REV. D
	X	E	YA.	D2600 SHEET 1 OF 5
	DATE			TITLE SCALE
	98.0	8.20		EXTRUSION 1:1
	Α		97.01.21	NEW ISSUE
	В		97.09.09	CHANGE MATERIAL SPEC.
	С		98.04.16	ADD D2600-3, UPDATE D2600-1 WIDTH, ADD DIE NO.
	D		98.08.20	INCREASE MIN. UTS TO 40 KSI
				Ann commence Andrews Andrews



GENERAL NOTES

1. MATERIAL: 6061-T6 (QQ-A-200/8)

DI

MINIMUM YIELD TENSILE STRENGTH = 35 ksi MINIMUM ULTIMATE TENSILE STRENGTH = 40 ksi MINIMUM ELONGATION = 8 %

A SAMPLE FROM EACH BATCH WILL BE PULL TESTED TO ASTM STANDARD B221 BY AN APPROVED TESTING FACILITY TO ENSURE THAT THE BATCH MEETS THE ABOVE MINIMUM MECHANICAL PROPERTIES.

- 2. BREAK ALL SHARP CORNERS 0.010 MAX.
- 3. NO TOOLING MARKS.
- 4. TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- 5. ALL DIMENSIONS ARE IN INCHES.

SHOP CCPY

RETURN TO

ENGINEERING

UNCONTROLLED COPY

SUBJECT TO AMENDMENT


WITHOUT NOTICE

WORK ORDER






DESIGN	ORAWN RY	DART ÁERO HAWKESBURY, O	
CHECKED	APPROVED	DRAWING NO.	REV. D
1 RE	(11	D2600	SHEET 2 OF 5
DATE	- //	TITLE	SCALE
98.08.20		EXTRUSION	1:1








)	DESIGN	DRAWN BY	DART AEROSF HAWKESBURY, ONTAF	
	CHECKED	APPROVEO/	DRAWING NO.	REV. D
	KE	H	D2600	SHEET 3 OF 5
	DATE		TITLE	SCALE
	98.08.20		EXTRUSION	1:1








)	DESIGN	DRAWN BY		SPACE LTD ditario, canada
,	CHECKED	APPROVED	DRAWING NO.	REV. D
	KE	A	D2600	SHEET 4 OF 5
	DATE		TITLE	SCALE
	98.08.20		EXTRUSION	1:1





MANUFACTURED WITH CARADON INDALEX DIE # MS-18871 PART NUMBER 15 D2600-5-XXX WHERE XXX IS CUT LENGTH IN INCHES D2600-5 (EG.

D2600-5-108 15 108" LONE

SUBJECT TO AMENDMENT WITHOUT NOTICE


RETURN TO ENGINEERING UNCONTROLLED COPY





)	DESIGN	DRAWN AY		OSPACE LTD ontario, canada
	CHECKED	APPROXED	DRAWING NO.	REV. D
	KE	193	D2600	SHEET 5 OF 5
	DATE		TITLE	SCALE
	98.08.20		EXTRUSION	1:1:





MANUFACTURED WITH CARADON INDALEX DIE # MS-18872 PART NUMBER IS DZ600-7-XXX WHERE XXX IS CUT LENGTH IN INCHES

(EG. 12600-7-125 IS 125" LONG)

D2600-7

SHOP COPY
RETURN TO
ENGINEERING
ON CONTROLLED COPY
SUBJECT TO AVIENDMENT
WITHOUT NOTICE
WORK ORDUR



ACCT# 00046024

SHIP TO DART AEROSPACE LTD. 1270 ABERDEEN ST. HAWKESBURY ON K6A 1K7 CN

PHONE 613-632-5200

CUSTOMER ID ORDER DATE

SOLD TO / PURCHASER DART AEROSPACE LTD. 1270 ABERDEEN ST. HAWKESBURY ON CN K6A 1K7

PHONE 613-632-5200

CUSTOMER PO NUMBER

INVOICING COMPANY AND LOCATION SIGNATURE ALUMINUM CANADA 1850 CLEMENTS ROAD

PICKERING ON L1W 3R8

TERMS / FREIGHT

0 / P

57369

REFER TO

THESE NUMBERS ON

ALL CORRESPONDENCE

03-24-08 MANIFEST NUMBER

MANIFEST DATE

638116

SALES ORDER NUMBER 27644 SALES REP

CREDIT REP HAMBROOK, PAU

905-508-3250

LOCATION TRAILER NUMBER SALESMAN

FIELD SALES REP Kutter A 59358 450-435-6551

CUST SERVICE REP Burton D

SHIPPING MANIFEST

905-427-2227

BILL OF LADING NUMBER

46024 03/12		12/08	5903						<u> </u>	8375845		
ITEM NO.	ORIGINAL ORDER QUANTITY	UNIT	PREVIOUS SHIPPED QUANTITY	MFG. PART NUMBER CUSTOMER PART NUMBER	LEI	& TEMPER NGTH TOLERANCE	FINISH DESCRIPTIONN FABRICATION DESCRIPTION SHIPPING TOLERANCE	NBR OF PKGS	THIS SHIPMEN	NET QUANTITY	UNIT	QUANTITY DUE
01	110	KG M PC	0 0 0	DAA-897122-1 D2600-3-120	6061 120" +3/16	/T6 "	MILL CERTIFICATE OF COMP (+015-015,0126-0093)	3	858	837 356.62 117	KG M PC	
	,			LOT/TKT DETAIL:			27644010 / 266162 27644010 / 266163 27644010 / 266164	1 1	286 286 286	279 279 279		39 PG 39 PG 39 PG
	on/Traffic damages			be noted on the delivery copy of sellers shipping m	nanifests and	signed and date	ed below PAGE 1	3	858	837 356.62	KG M	

PIC

JOB

No return materials will be accepted for credit without permission. The articles and/or services covered by this shipping manifest were produced in accordance with the fair labor standards act of 1938 as amended. Order accepted subject to the terms and conditions stated on the reverse side.

PAGE

356.62 117

TOTALS

РC



CERTIFICATE OF COMPLIANCE

SIGNATURE ALUMINUM CANADA

1850 CLEMENTS ROAD PICKERING, ON L1W 3R8

Cert Date	Cert No	Sales Order	Pane
03/24/08	175080	27644	1
Circl PO	B/I No	Lot	Date
5903	08375845	27644010	3/24/08

Sold To 46024

DART AEROSPACE LTD. 1270 ABERDEEN ST. HAWKESBURY, ON K6A 1K7 Ship To

DART AEROSPACE LTD. 1270 ABERDEEN ST. HAWKESBURY, ON K6A 1K7

item No	Part No	Item Description		Cust Part
1.000	DAA-897122-1	120" Mill 6061 T6		D2600-3-120
Gross Weight	858 K	GS		
Net Oty	837 KG	117 PC	357 M	3 PKG

Specification Die Desc

AMS-QQ-A-200/8 & ASTM B221-06

Mechar Test No.		ests: sile / KSI		Yi MPA /	eld KSI	% F	Elongat	ion	Conductivity	Bend/ Drift	HREW
	285.4 cal Ana FE	lysis:		259.8 / MG		ZN	TI	13.5	.0		94
.66	.26	.26	.11	.87	.06	.06	.02			7	

This will certify that the material described herein has been inspected and tested in accordance with Signature Aluminum Canada's standard sampling and testing procedures or in accordance with the requirements of any specification forming a part of the material description to the extent indicated herein. Data of chemical composition for the material and test results from samples representative of the material are set forth above hereof or in any attachments hereto. This information shows that the material meets the applicable requirements. Inspection and test records are maintained on file. This certificate shall be deemed apart of and subject to the terms and conditions of warranty set forth on the reverse side of our order acknowledgment form. No other warranties are applicable.

Conchita Ko, QA Manager Signature Aluminum Canada Inc

Caditato.